Introducing CEN II




THE ULTIMATE FASTENERS

STAINLESS STEEL

STRUCTURAL

STAINLESS STEEL



Horizon Curve™

A slight curvature of the head for elegant, professional, architectural results. The Finish Ring underneath the head also provides a better finish by cutting the top fibers in the wood for an extra step in countersinking.



Turbine Ribs™

(patent pending) Turbine Ribs cut quickly into the wood, leaving a professional, clean finish with maximum wood contact. The cup shaped, countersinking head provides increased holding power and reduced risk of splitting.



Twin Blades™

(patent pending) This set of knurls cuts fast to dramatically reduce friction and heat on the shank, while reducing load on the drill. They also provide better performance by removing debris faster than a standard fastener's knurl.



With sharp threads all the way to the tip, the fastener has an immediate grip for a fast start. The inset thread cut drastically reduces the splitting effect and minimizes the driving torque needed to engage the wood.

This advanced, General Purpose Structural Wood Screw is for typical very high-corrosive environments. Great for any size job or project such as decks, docks, boardwalks, fencing, railings, pools, hot tubs and more!



Available in 1lb, 5lb and 1/4 Keg All Packaging Includes Drive Bit!

WWW.SCREW-PRODUCTS.COM

Gig Harbor, WA 98332 Toll-Free 1-877-844-8880 THE ULTIMATE FASTENERS





THE ULTIMATE FASTENERS

STAINLESS STEEL

STRUCTURAL

The AXIS™ Structural Wood Screw is the next step in fastener design. Every facet has been evaluated and improved (patents pending). Our extra sharp Fast Start Tip saves you time onsite and the Twin Blades outperform the competitor's knurls. The Turbine Ribs ensure an incredibly clean finish. Its cup shaped, countersinking head, provides unparalleled holding power and less risk of splitting the wood. The Horizon Curve Head has been architecturally engineered to leave an elegant finish.











TOUGH ENVIRONMENTS

Stainless Steel: Outdoor Coastal areas, surfaces with salt exposure, ground contact treated lumber, shipyards, medium polluted industrial areas, chemical plants, etc. Always follow timber manufacturer's recommendations for fasteners.

Common Applications

- Commercial & residential
- Decking and railing
- Fencing
- Siding & roofing
- · Remodeling and repair
- Framing
- Trim & Cabinetry
- Windows and doors
- Chlorinated areas
- Hot tubs & Swimming pools
- And much more!

Sizes Available: #8 x 1" to #10 x 4"

	General Info			
	Type of Screw	General Purpose Structural Wood		
	Material	Stainless Steel ¹ & 316 Stainless		
	Head Style	Countersinking TX20 Star Drive		
	Point Type	Modified Type 17		
1.	Our Gen II Products marked "Stainless Steel" are			

1.	Our Gen II Products marked "Stainless Steel"	are
	Austenitic Stainless Steel AISI 305 or better!	

Construction		#8	#9	#10	
Head diame	ter (inch)	0.323	0.350	0.386	
Minor thread	d diameter	0.106	0.122	0.136	
Major thread	d diameter	0.165	0.183	0.211	
Shaft diamet	er	0.122	0.136	0.154	
Drive Size		TX20	TX20	TX20	
Product Range		Approx Count per 1lb			
Length	Thread	#8	#9	#10	
1"	Full Thread	252			

Length	inread	#0	#9	#10				
1"	Full Thread	252						
1-1/4"	7/8"	211						
1-1/2"	1"	178	146					
2"	1-1/4"	138	113					
2-1/2"	1-1/2"		87	70				
3"	1-1/2"		76	60				
3-1/2"	2"			51				
4"	2"			46				
AL A 11 1 1 247 Ct 1 1 Ct 1								

