







STRUCTURAL WOOD SCREWS

TRIM HEAD SCREWS

FINISH HEAD SCREWS









STRUCTURAL LAG SCREWS



STRUCTURAL HEX LAGS



FOR CABINETRY & MORE



DrJ TER 2010-03

DrJ TER 2212-01



WOOD TO STEEL SCREWS



COMPOSITE DECK SCREWS



COMPOSITE FASCIA SCREWS





FOR CORRUGATED PLASTIC ROOF





Much More Inside!

- WINBAG® Inflatable Reusable Shims
- DeckLok® Lateral Anchor System
- RailLok® Railing & Fence Bracket
- D2W™ Deck2Wall Spacers
- Specialty Fasteners
- Assortment Kits
- Bits & Bit Holders

Table of Contents

AXIS	*		AXIS™ General Interior Structural Wood Screws	1" to 6"	4
AXIS	*	C. Mandalan Comment	AXIS™ General Exterior Structural Wood Screws	3/4" to 8"	4
AXIS		- Committee	AXIS™ Stainless Steel Structural Wood Screws	1" to 4"	5
EPIC		See thinhibitions	EPIC™ General Exterior Trim Screws	1-5/8" to 5"	6
EPIC			EPIC™ Stainless Steel Trim Screws	1-5/8" to 4"	6
PICO	•		► PICO™ General Exterior Finish Screws	1-5/8" to 3"	7
PICO			PICO™ Stainless Steel Finish Screws	1-5/8" to 3"	7
AURA	13 15		AURA™ For Cabinetry & More! General Exterior	1" to 3"	8
AURA	(AURA™ For Cabinetry & More! Stainless Steel	1" to 2-1/2"	8
NOVA		-	NOVA™ General Exterior Structural Lag Screws	1" to 16"	9
NOVA		* STATE OF THE PARTY OF THE PAR	NEW!! NOVA™ 316 Stainless Steel Struct. Lags	2-1/2" to 6"	9
YUKON	•	-	YUKON™ General Exterior Structural Hex Lags	16 x 4" to 14"	10
YUKON		-	YUKON™ General Exterior Structural Hex Lags	18 x 4" to 11"	10
ROCO			ROCO™ General Exterior Wood to Steel Screws	1-1/2" to 3-3/4"	10
VEGA	0		NEW!! VEGA™ For Corrugated Plastic Roofing	1-3/16"	11
C-DECK	0		C-Deck Composite Deck Screws	2-3/4"	12
C-DECK	0		C-Deck Stainless Composite Deck Screws	2-3/4"	12
FASCIA		1444411111	NEW!! FASCIA SS316 Composite Fascia Screws	1-7/8"	13
DRYWALL		 	Phillips Drywall Screws - Drill & Sharp Point	1-1/8" to 3"	14
SPECIALTY	6		Cement Board Screws - Sharp & Drill Point	1-1/4" to 1-5/8"	14
SPECIALTY	0	-	Gutter Screws	7"	14
SPECIALTY			Phillips Modified Truss - Sharp & Drill Point	1/2" to 2-1/2"	15
SPECIALTY			Tapcon Masonry Screws	1-1/4" to 4"	15

Decking Hardware Pg 11-12

g _____

Assortment Kits Pg 11

Accessories & More! Pg 16

- DeckLok® Lateral Anchor System
- RailLok® Railing & Fence Bracket
 - D2W™ Deck2Wall Spacers



- WINBAG® Inflatable Reusable Shims
 - Star Drive Bits
 - Bit Holders

Some New Features On Our Gen II Line!



Horizon Curve[™]

A slight curvature of the head for elegant, professional, architectural results. The Finish Ring underneath the head also provides a better finish by cutting the top fibers in the wood for an extra step in countersinking.

AXIS™

NOVATM

ROCO™

FASCIA



Turbine Ribs™

The patented (# 11,346,388 B2) Turbine Ribs cut quickly into the wood, leaving a professional, clean finish with maximum wood contact. The cup shaped, countersinking head provides increased holding power and reduced risk of splitting.

AXIS™

EPICTM

ROCO™



Twin Blades™

This patented (#11,359,661 B2) set of knurls cuts fast to dramatically reduce friction and heat on the shank, while reducing load on the drill. They also provide better performance by removing debris faster than a standard fastener's knurl.

AXIS™

EPICTM

AURA™

NOVATM

YUKON™



Fast Start Tip

With sharp threads all the way to the tip, the fastener has an immediate grip for a fast start. The inset thread cut drastically reduces the splitting effect and minimizes the driving torque needed to engage the wood.

AXIS™

EPIC™

PICO™

AURA™

NOVA™

YUKON™

Corrosion Protection: Medium	Corrosion Protection: High	Corrosion Protection: Very High
For Typical Interior Use	For Typical Exterior Use	For Tough Environments
Compatible for use in a wide variety of interior wood applications. Its use is limited to interior untreated lumber. For exterior applications and use in pressure treated lumber, use exterior coated fasteners or stainless steel fasteners. Always assess the environment before selecting the type of coated fastener. Some corrosive environments including bathrooms, kitchen sinks, exposure to chemicals and use of pressure treated lumber may cause early failure.	Tested and recognized for use in most ground contact pressure treated lumber for general exterior construction as described by the American Wood Protection Association (AWPA) U1 UC4A or below. For environments above UC4A, use proper grade of stainless steel. Always assess the environment before selecting the type of coated fastener. Some corrosive environments including exposure to water, airborne salt, chemicals and pressure treated lumber rated above AWPA UC4A may cause early failure.	Stainless Steel AISI 316 is code compliant for use in marine environments with saltwater splash, airborne salts, and areas with de-icing salts. Stainless Steel Our stainless steel is either AISI 302, 304 or 305 and is code compliant for use with ground contact pressure treated lumber in we environments such as near freshwater lakes and rivers, and for use in redwood and cedar.

Always follow timber manufacturer's recommendations for fasteners!

AXIS"

ZYTEC™+ General Interior Structural Wood Screws



The AXIS[™] screw is designed to take wood screws to an entire new level. Our extra sharp, Fast Start Tip saves time on site and the Twin Blades[™] outperform any other knurl. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. The Turbine Ribs[™] ensure an incredibly clean finish. Its cup shaped countersinking provides unparalleled holding power and less risk of splitting. The Horizon Curve[™] leaves an elegant appearance.

AXIS™	AXIS™ Interior - Star Drive Structural Wood Screws - #8 x 1" to #10 x 6"												
Screw Size	Qty Per Lb	Bit Size	Head Diam In.	Bulk SKU	Bulk Qty	Net Bulk Wt*	20lb SKU	20lb Qty	5lb SKU	1lb SKU			
#8 x 1"	262	T20	.323	30240-03	10,000	39.5	30241-03	5,239	30123-03	30122-	03		
#8 x 1-1/4"	225	T20	.323	30246-03	9,000	42.1	30247-03	4,498	30108-03	30124-	03		
#8 x 1-1/2"	177	T20	.323	30256-03	6,500	35.8	30257-03	3,555	30110-03	30109-	03		
#8 x 1-3/4"	164	T20	.323	30259-03	4,000	25.2			30111-03	30125-	03		
#8 x 2"	145	T20	.323	30270-03	3,500	24.0			30128-03	30127-	03		
#8 X 2-1/2"	124	T20	.323	30272-03	2,500	21.2			30274-03	30273-	03		
#9 x 2"	109	T20	.350	30013-03	3,000	26.8			30113-03	30112-	03		
#9 x 2-1/2"	97	T20	.350	30302-03	2,500	27.3			30115-03	30114-	03		
#9 x 2-3/4"	84	T20	.350	30304-03	2,000	24.0			30130-03	30129-	03		
#9 x 3"	81	T20	.350	30308-03	2,000	25.7			30117-03	30116-	03		
#10 x 1-1/2"	112	T20	.386	30310-03	3,000	27.1			30312-03	30311-	03		
#10 x 2"	85	T20	.386	30314-03	2,500	29.4			30316-03	30315-	03		
#10 x 2-1/2"	73	T20	.386	30326-03	2,000	28.7			30328-03	30327-	03		
#10 x 3"	62	T20	.386	30337-03	1,500	25.5			30119-03	30118-	03		
#10 x 3-1/2"	52	T20	.386	30347-03	1,000	19.6			30348-03	30186-	03		
#10 x 4"	46	T20	.386	30354-03	1,000	22.0			30121-03	30120-	03		
#10 x 5"	37	T20	.386	30356-03	750	20.4			30358-03	30357-	03		
#10 x 6"	31	T20	.386	30360-03	600	19.5			30362-03	30361-	03		

ZYTEC™ XT General Exterior Structural Screws



The AXIS™ screw is designed to take wood screws to an entire new level. Our extra sharp, Fast Start Tip saves time on site and the Twin Blades™ outperform any other knurl. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. The Turbine Ribs™ ensure an incredibly clean finish. Its cup shaped countersinking provides unparalleled holding power and less risk of splitting. The Horizon Curve™ leaves an elegant appearance.

AXIS™	Exterio	or - Sta	r Drive	Struct	ural Wo	od Scre	ws - #8	x 3/4" to) #14 x	8"		
Screw Size	Qty Per Lb	Bit Size	Head Diam In.	Bulk SKU	Bulk Oty	Net Bulk Wt*	20lb SKU	20lb Oty	5lb SKU		1lb SKU	
#8 x 3/4"	324	T20	.323	30260-29	10,000	30.6	30209-29	6,528	30104-29	3	30103-29	
#8 x 1"	264	T20	.323	30240-29	10,000	39.0	30241-29	5,067	30123-29	3	30122-29	
#8 x 1-1/4"	219	T20	.323	30246-29	9,000	41.1	30247-29	4,279	30108-29	3	30124-29	
#8 x 1-1/2"	181	T20	.323	30256-29	6,500	35.5	30257-29	3,629	30110-29	3	30109-29	
#8 x 1-3/4"	160	T20	.323	30259-29	4,000	24.7			30111-29	3	30125-29	
#8 x 2"	144	T20	.323	30270-29	3,500	24.4			30128-29	3	30127-29	
#9 x 1"	194	T20				20.0	30276-29	3,878	30278-29	3	30277-29	
#9 x 1-1/4"	164	T20				20.0	30280-29	3,282	30282-29	3	30281-29	
#9 x 1-1/2"	150	T20	.350	30284-29	3,500	24.8			30286-29	3	30285-29	
#9 x 2"	118	T20	.350	30013-29	3,000	26.8			30113-29	3	30112-29	
#9 x 2-1/2"	93	T20	.350	30302-29	2,500	27.7			30115-29	3	30114-29	
#9 x 2-3/4"	83	T20	.350	30304-29	2,000	25.5			30130-29	3	30129-29	
#9 x 3"	80	T20	.350	30308-29	2,000	25.8			30117-29	3	30116-29	

AXIS™	Exterio	or - Str	uctura	l Wood	Screws	continu	ed			
Screw Size	Qty Per Lb	Bit Size	Head Diam In.	Bulk SKU	Bulk Qty	Net Bulk Wt*	20lb SKU	5lb SKU	1lb SKU	
#10 x 2"	89	T20	.386	30314-29	2,500	23.5		30316-29	30315-29	
#10 x 2-1/2"	70	T20	.386	30326-29	2,000	28.9		30328-29	30327-29	
#10 x 3"	61	T20	.386	30337-29	1,500	25.4		30119-29	30118-29	
#10 x 3-1/2"	52	T20	.386	30347-29	1,000	19.8		30348-29	30186-29	
#10 x 4"	45	T20	.386	30354-29	1,000	22.1		30121-29	30120-29	
#10 x 5"	38	T20	.386	30356-29	750	20.7		30358-29	30357-29	
#10 x 6"	31	T20	.386	30360-29	600	19.7		30362-29	30361-29	
Screw Size	Qty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU	1lb SKU	50ct-EA Flagged	
#14 x 5"	28	T30	.488	30364-29	500	17.9	30366-29	30365-29	30367-29	
#14 x 6"	24	T30	.488	30370-29	500	21.1	30372-29	30371-29	30373-29	
#14 x 7"	21	T30	.488	30376-29	500	24.6	30378-29	30377-29	30379-29	
#14 x 8"	18	T30	.488	30382-29	500	28.0	30384-29	30383-29	30385-29	

50ct-EA are 50ct boxes with individual UPC stickered screws for retail sale.

Stainless Steel Structural Wood Screws



The AXIS™ screw is designed to take wood screws to an entire new level. Our extra sharp, Fast Start Tip saves time on site and the Twin Blades™ outperform any other knurl. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. The Turbine Ribs™ ensure an incredibly clean finish. Its cup shaped countersinking provides unparalleled holding power and less risk of splitting. The Horizon Curve™ leaves an elegant appearance.

AXISTM :	Stainless	Steel - St	ructural	Wood So	rews - #8	3 x 1" to	#10 x 4"		
Screw Size	Oty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU	1lb SKU	
#8 x 1"	251	T20	.323	30237	10,000	28.6	30239	30238	
#8 x 1-1/4"	215	T20	.323	30243	9,000	25.0	30244	30131	
#8 x 1-1/2"	175	T20	.323	30249	6,500	19.6	30250	30132	
#8 x 2"	145	T20	.323	30262	3,500	21.7	30264	30263	
#9 x 1-1/2"	147	T20	.350	30288	4,000	39.7	30290	30289	
#9 x 2"	114	T20	.350	30296	3,000	36.5	30297	30133	
#9 x 2-1/2"	88	T20	.350	30300	2,500	42.7	30134	30135	
#9 x 3"	75	T20	.350	30306	2,000	25.4	30136	30137	
#10 x 2-1/2"	70	T20	.386	30318	2,000	27.4	30320	30319	
#10 x 3"	60	T20	.386	30330	1,500	26.5	30331	30138	
#10 x 3-1/2"	51	T20	.386	30339	1,000	28.7	30341	30340	
#10 x 4"	47	T20	.386	30350	1,000	26.3	30352	30351	

AXIS TM 3	316 Stain	less Stee	l - Struct	ural Woo	d Screws	s - #8 x 1	" to #10	x 4"	
Screw Size	Qty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Oty	Net Bulk Wt*	5lb SKU	1lb SKU	
#8 x 1"	251	T20	.323	30884	10,000	28.6	30883	30882	
#8 x 1-1/4"	215	T20	.323	30887	9,000	25.0	30886	30885	
#8 x 1-1/2"	175	T20	.323	30252	6,500	19.6	30254	30253	
#8 x 2"	145	T20	.323	30266	3,500	21.7	30268	30267	
#9 x 1-1/2"	147	T20	.350	30292	4,000	39.7	30294	30293	
#9 x 2"	114	T20	.350	30890	3,000	36.5	30889	30888	
#9 x 2-1/2"	88	T20	.350	30893	2,500	42.7	30892	30891	
#9 x 3"	75	T20	.350	30896	2,000	25.4	30895	30894	
#10 x 2-1/2"	70	T20	.386	30322	2,000	27.4	30324	30323	
#10 x 3"	60	T20	.386	30333	1,500	26.5	30335	30334	
#10 x 3-1/2"	51	T20	.386	30343	1,000	28.7	30345	30344	
#10 x 4"	47	T20	.386	30899	1,000	26.3	30898	30897	

EPIC > ZYTEC™ XT General Exterior Trim Screws



The **EPIC**[™] screw is the next generation of our Trim Head Wood Screw. Our extra sharp, Fast Start Tip saves time on site and the Twin Blades[™] outperform any other knurl. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. The Turbine Ribs[™] ensure an incredibly clean finish. Its cup shaped countersinking provides unparalleled holding power and less risk of splitting. The small trim head provides a clean, professional connection. White Head available.

EPIC TM	Exteri	or - T	rim H	ead Wood	Screws - #	9 x 1-5/8"	to #9 x 5"		
Screw Size	Qty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU	1lb SKU	
#9 x 1-5/8"	154	T20	0.260	30411-29	4,000	27.1	30412-29	30139-29	
#9 x 2"	126	T20	0.260	30417-29	3,000	24.7	30418-29	30140-29	
#9 x 2-1/2"	99	T20	0.260	30427-29	2,500	25.6	30142-29	30141-29	
#9 x 3"	84	T20	0.260	30436-29	2,000	24.5	30144-29	30143-29	
#9 x4"	61	T20	0.260	30442-29	1,500	24.5	30444-29	30443-29	
#9 x 5"	50	T20	0.260	30762-29	1,000	20.1	30764-29	30763-29	
The Following	Have Paint	ted White	Heads						
#9 x 1-5/8"	149	T20	0.260	30411-29-WHIT	4,000	27.1	30412-29-WHIT	30139-29-WHIT	
#9 x 2"	121	T20	0.260	30417-29-WHIT	3,000	24.7	30418-29-WHIT	30140-29-WHIT	
#9 x 2-1/2"	97	T20	0.260	30427-29-WHIT	2,500	25.6	30142-29-WHIT	30141-29-WHIT	
#9 x 3"	82	T20	0.260	30436-29-WHIT	2,000	24.5	30144-29-WHIT	30143-29-WHIT	

EPIC Stainless Steel Trim Screws



The **EPIC**[™] screw is the next generation of our Trim Head Wood Screw. Our extra sharp, Fast Start Tip saves time on site and the Twin Blades[™] outperform any other knurl. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. The Turbine Ribs[™] ensure an incredibly clean finish. Its cup shaped countersinking provides unparalleled holding power and less risk of splitting. The small trim head provides a clean, professional connection.

EPIC TM	Stainl	ess S	teel -	Trim Head	Wood Scr	ews - #9 x	: 1-5/8" to #	#9 x 4"	
Screw Size	Qty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU	1lb SKU	
#9 x 1-5/8"	149	T20	0.260	30408	4,000	27.0	30409	30145	
#9 x 2"	120	T20	0.260	30414	3,000	25.2	30415	30146	
#9 x 2-1/2"	95	T20	0.260	30420	2,500	27.2	30421	30147	
#9 x 3"	80	T20	0.260	30426	2,000	24.7	30430	30148	
#9 x4"	60	T20	0.260	30438	1,500	25.0	30440	30439	

EPIC TM	316 S	tainle	ss Ste	el - Trim H	ead Wood	Screws -	#9 x 1-5/8"	to #9 x 4"		
Screw Size	Oty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU		1lb SKU	
#9 x 1-5/8"	149	T20	0.260	30902	4,000	27.0	30901		30900	
#9 x 2"	120	T20	0.260	30905	3,000	25.2	30904		30903	
#9 x 2-1/2"	95	T20	0.260	30423	2,500	27.2	30425		30424	
#9 x 3"	80	T20	0.260	30432	2,000	24.7	30434		30433	
#9 x4"	60	T20	0.260	30908	1,500	25.0	30907		30906	



PICO ZYTEC™ GX General Exterior Finish Screws



The **PICO™** Finish screw is a slim fastener, yet engineered for good holding power. Our extra sharp Drill Cut Tip cuts wood fibers and reduces splitting of board edges. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. The wide threads provides a strong connection while the reverse threads helps pull down fibers. The tiny head stays out of sight for a clean, professional finish. Fits with most concealed mounting tools. White Head available.

PICO TM	Exteri	or - F	inish	Head Woo	d Screws	- #8 x 1-5/8	3" to #8 x 3	"	
Screw Size	Oty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU	1lb SKU	
#8 x 1-5/8"	208	T15	0.201	30450-12	5,500	26.7	30211-12	30107-12	
#8 x 2"	164	T15	0.201	30456-12	4,000	24.4	30210-12	30149-12	
#8 x 2-1/2"	129	T15	0.201	30462-12	3,000	23.1	30214-12	30150-12	
#8 x 3"	109	T15	0.201	30468-12	2,500	22.9	30216-12	30151-12	
The Following	Have Paint	ed White	Heads						
#8 x 1-5/8"	208	T15	0.201	30450-12-WHIT	5,500	26.7	30211-12-WHIT	30107-12-WHIT	
#8 x 2"	165	T15	0.201	30456-12-WHIT	4,000	24.4	30210-12-WHIT	30149-12-WHIT	
#8 x 2-1/2"	132	T15	0.201	30462-12-WHIT	3,000	23.1	30214-12-WHIT	30150-12-WHIT	
#8 x 3"	110	T15	0.201	30468-12-WHIT	2,500	22.9	30216-12-WHIT	30151-12-WHIT	

PICO Stainless Steel Finish Screws



The **PICO™** Finish screw is a slim fastener, yet engineered for good holding power. Our extra sharp Drill Cut Tip cuts wood fibers and reduces splitting of board edges. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. The wide threads provides a strong connection while the reverse threads helps pull down fibers. The tiny head stays out of sight for a clean, professional finish. Fits with most concealed mounting tools.

PICO™	Stainl	ess S	Steel -	Finish Hea	id Wood S	crews - #8	x 1-5/8" to	o #8 x 3"		
Screw Size	Oty Per Lb		Head Diam In		Bulk Qty	Net Bulk Wt*	5lb SKU		1lb SKU	
#8 x 1-5/8"	186	T15	0.201	30445	5,500	29.4	30224		30220	
#8 x 2"	155	T15	0.201	30451	4,000	25.3	30225		30229	
#8 x 2-1/2"	121	T15	0.201	30457	3,000	25.2	30234		30231	
#8 x 3"	102	T15	0.201	30463	2,500	24.0	30236		30230	

PICO™	PICO™ 316 Stainless Steel - Finish Head Wood Screws - #8 x 1-5/8" to #8 x 3"											
Screw Size	Oty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU	1lb SKU				
#8 x 1-5/8"	186	T15	0.201	30447	5,500	29.4	30449	30448				
#8 x 2"	155	T15	0.201	30453	4,000	25.3	30455	30454				
#8 x 2-1/2"	121	T15	0.201	30459	3,000	25.2	30461	30460				
#8 x 3"	102	T15	0.201	30465	2,500	24.0	30467	30466				



AURA

ZYTEC™ GX Exterior Screws For Cabinetry & More



The AURA™ screw features an aesthetic design of the mushroom head shaped to fit in cabinetry, furniture and more. The large diameter head of the fastener ensures increased holding power. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. Our extra sharp Fast Start Tip allows the screw to grip quickly into the wood providing easy installation. Use #8 for Pocket Joinery. Great for cabinets, vinyl windows and door frames, siding and cladding.

AURA™	AURA™ Exterior - For Cabinetry, Door, Window & More! - #8 x 1-1/4" to #10 x 3"												
Screw Size	Qty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU	1lb SKU					
#8 x 1"	215	T20	0.362	30870-12	4,500	20.9	30871-12	30869-12					
#8 x 1-1/4"	188	T20	0.362	30175-12	4,000	21.4	30174-12	30156-12					
#8 x 1-1/2"	161	T20	0.362	30178-12	3,000	18.6	30177-12	30176-12					
#8 x 2"	129	T20	0.362	30180-12	2,000	15.3	30179-12	30157-12					
#8 x 2-1/2"	109	T20	0.362	30183-12	1,500	13.9	30182-12	30181-12					
#10 x 1"	126	T20	0.362	30185-12	2,528	20.0	30184-12	30152-12					
#10 x 1-1/4"	108	T20	0.476	30189-12	2,146	20.0	30188-12	30187-12					
#10 x 1-1/2"	95	T20	0.476	30191-12	1,887	20.0	30190-12	30153-12					
#10 x 2"	77	T20	0.476	30194-12	2,000	21.2	30193-12	30192-12					
#10 x 2-1/2"	66	T20	0.476	30196-12	2,000	31.7	30195-12	30154-12					
#10 x 3"	56	T20	0.476	30198-12	1,500	27.7	30197-12	30155-12					
The Following	Have Paint	ted White	Heads										
#10 x 2-1/2"	65	T20	0.476	30196-12-WHIT	2,000	31.7	30195-12-WHIT	30154-12-WHIT					

1,500

AURA

T20

#10 x 3"

Stainless Steel Screws For Cabinetry & More

30197-12-WHIT

27.7



0.476 | 30198-12-WHIT

The AURA™ screw features an aesthetic design of the mushroom head shaped to fit in cabinetry, furniture and more. The large diameter head of the fastener ensures increased holding power. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. Great for facades and cladding, easy cabinetry installation, vinyl windows and door frames

30155-12-WHIT

AURA™	AURA™ Stainless Steel - For Facades, Cladding, Siding & More! - #10 x 1" to #10 x 2-1/2"												
Screw Size	Oty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU		1lb SKU				
#10 x 1"	136	T20	0.476	30160	2,720	20	30159		30158				
#10 x 1-1/2"	99	T20	0.476	30490	1,980	20	30492		30491				
#10 x 2-1/2"	71	T20	0.476	30498	2,000	20	30500		30499				



8

NOVA

Exterior & 316 Stainless Star Drive Structural Lags



The new NOVA™ Structural Lag is the superior lag screw for any of your projects. With a strong thread that ensures maximum withdrawal strength and extra sharp Fast Start Tip that easily grips and cuts its way through the wood. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. The Twin Blades™ ensures minimum friction on the shank and the Locking Wedges under the head countersink perfectly with maximum wood contact.

50ct-EA are 50ct boxes with individual UPC stickered screws for retail sale.

NOVATA	NOVA™ Exterior - Structural Lag Screws - #14 x 1" to #14 x 6"													
Screw Size	Bit Size	Head Diam In	Bulk SKU	Bulk Oty	Bulk Qty	Net Bulk Wt*	100ct SKU		50ct SKU		50ct-EA Flagged			
#14 x 1"	TX30	0.531	30506	2,000	2000	16.8	30507		30508					
#14 x 1-1/2"														
#14 x 2"	TX30	0.531	30514	1,000	1000	14.9	30515		30516					
#14 x 2-1/2"	TX30	0.531	30518	750	750	13.6	30519		30520					
#14 x 3"	TX30	0.531	30522	600	600	12.7	30523		30524		30525			
#14 x 4"	TX30	0.531	30528	500	500	13.7	30529		30530		30531			
#14 x 5"	TX30	0.531	30534	500	500	15.0	30535		30536		30537			
#14 x 6"	TX30	0.531	30540	400	400	16.0	30541		30542		30543			
NOVATA	¹ Exter	ior - S	tructur	al Lag So	crews	- #16 :	x 2" to #	16 x 6"						

Screw Size	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Bulk Qty	Net Bulk Wt*	100ct SKU	50ct SKU	50ct-EA Flagged	
#16 x 2"	TX30	0.630	30546	700	700	15.9	30547	30548		
#16 x 2-1/2"	TX30	0.630	30554	600	600	16.2	30555	30556		
#16 x 3"	TX30	0.630	30564	500	500	15.7	30565	30566	30567	
#16 x 3-1/2"	TX30	0.630	30576	500	500	17.9	30577	30578	30579	
#16 x 4"	TX30	0.630	30588	400	400	16.1	30589	30590	30591	
#16 x 4-1/2"	TX30	0.630	30594	400	400	18.2	30595	30596	30597	
#16 x 5"	TX30	0.630	30606	350	350	17.5	30607	30608	30609	
#16 x 6"	TX30	0.630	30618	300	300	17.8	30619	30620	30621	


NOVA™ Exterior - Structural Lag Screws - #18 x 3-3/8" to #18 x 16"

Screw Size	Bit Size	Head Diam In	Bulk SKU	Bulk Oty	Bulk Oty	Net Bulk Wt*	100ct SKU	50ct SKU	50ct-EA Flagged	
#18 x 3-3/8"	TX40	0.728	30624	350	350	16.5	30625	30626	30627	
#18 x 4"	TX40	0.728	30630	350	350	17.9	30631	30632	30633	
#18 x 5"	TX40	0.728	30636	300	300	19.0	30637	30638	30639	
#18 x 6"	TX40	0.728	30642	250	250	18.7	30643	30644	30645	
#18 x 6-3/4"	TX40	0.728	30648	250	250	18.2	30649	30650	30651	
#18 x 7"	TX40	0.728	30654	250	250	21.2	30655	30656	30657	
#18 x 8"	TX40	0.728	30666	250	250	24.2	30667	30668	30669	
#18 x 10"	TX40	0.728	30678	250	250	29.1	30679	30680	30681	
#18 x 12"	TX40	0.728	30684	250	250	34.4	30685	30686	30687	
#18 x 14"	TX40	0.728	30690	250	250	40.7	30691	30692	30693	
#18 x 16"	TX40	0.728	30696	250	250	45.4	30697	30698	30699	





316 Stainless Steel Horizon t Curve™ Head



				Con rapping timedate										
NEW! N	IOVA™	м 316	Stainless	Steel -	Struct	tural La	ag Scre	ws - #16	x 2-1/2	' to #16 x 6"				
Screw		Head							50ct	500				

Size	Size	Diam In				SKU	Flagged	
#16 x 2-1/2"	TX30	0.630				30919	30942	
#16 x 3"	TX30	0.630				30923	30924	
#16 x 4"	TX30	0.630				30928	30929	
#16 x 5"	TX30	0.630				30933	30934	
#16 x 6"	TX30	0.630				30938	30939	

Fast Start Tip

KON"> 5/16" Hex Head Structural Lag Screws



The advanced, Heavy Duty Structural Lag Screw with ZYTEC™ GX corrosion protection coating for typical typical exterior environments. The self-tapping thread cuts effectively through materials such as wood, plastic and sheet metal. For heavy duty commercial & residential applications, LVL, trusses, deck framing, ledgers, landscaping, and much more! Great for any size job or project. Available in wide and standard washer head.

50ct-EA are 50ct boxes with individual UPC stickered screws for retail sale.

30759


YUKONTI	[™] Exterior -	- 5/16" He	x Head St	ructural L	ag Screw	/s - #16 x 4	4" to #16 x 14"
Screw Size	Bit Size	Head Diam In	250ct Bulk SKU	Bulk Qty	Net Bulk Wt*	50ct SKU	50ct-EA Flagged
#16 x 4"	HEX	0.472	30702	250	9.2	30703	30704
#16 x 6"	HEX	0.472	30707	250	13.3	30708	30709
#16 x 8"	HEX	0.472	30712	250	17.3	30713	30714
#16 x 10"	HEX	0.472	30717	250	21.2	30718	30719
#16 x 12"	HEX	0.472	30722	250	24.7	30723	30724
#16 x 14"	HEX	0.472	30727	250	29.0	30728	30729
YUKONTI	[™] Exterior ·	- 5/16" He	x Head St	ructural L	ag Screw	rs - #18 x	4" to #18 x 11"
Screw Size	Bit Size	Head Diam In	250ct Bulk SKU	Bulk Qty	Net Bulk Wt*	50ct SKU	50ct-EA Flagged
#18 x 4"	HEX	0.630	30732	250	12.9	30733	30734
#18 x 5"	HEX	0.630	30737	250	15.5	30738	30739
#18 x 6"	HEX	0.630	30742	250	18.6	30743	30744
#18 x 7"	HEX	0.630	30747	250	21.4	30748	30749
#18 x 9"	HEX	0.630	30752	250	26.3	30753	30754

250

32.1

30758

ZYTEC™ GX Exterior Wood to Steel Screws



0.630

30757

HEX

#18 x 11"

#14 x 2-3/4"

#14 x 3-3/4"

The ROCO™ Wood to Steel screw is specifically designed for increased holding power and an incredibly clean finish. When engaging the wood, the screw effortlessly drills through the wood while the wings mill an oversized hole. When the screw engages the steel base, the oversized hole prevents threads from engaging the wood, lifting wood and steel apart (jacking). The specially engineered drill point cuts fast through the steel and the threads firmly clamp the wood and steel together.

ROCO TM	ROCO™ Exterior - Wood to Steel Screws - #10 x 1-5/8" to #14 x 3-3/4"											
Screw Size	Qty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Oty	Net Bulk Wt*	5lb SKU		1lb SKU			
#10 x 1-1/2"	128	TX20	0.350	30388	4,000	30.9	30390		30389			
#12 x 2"	74	TX20	0.386	30392	2,000	27.0	30394		30393			
#12 x 2-1/2"			0.386	30396	1,500	26.3	30398		30397			
#14 x 2-3/4"	#14 x 2-3/4" 38 TX3		0.488	30400	1,000	26.3	30402		30401			
#14 x 3-3/4"	29	TX30	0.488	30404	1,000	35.7	30406		30405			
ROCO™	Drilling S	Specifica	ations									
#10 Drill Point	#3		Drill Ca	apacity Min		Drill Capac	ity Max	V	Vood Thickness	Max		
#10 x 1-1/2"			0	.059"		0.21	7"		0.87"			
#12 Drill Point	#12 Drill Point #3											
#12 x 2"	#12 x 2"		0.059"			0.236"			1.30"			
#12 x 2-1/2"	‡12 x 2-1/2"		0.059"			0.236"			1.89"			

0.138"

0.138"

1.89"

2.87"


0.315"

0.315"

EGA Corrugated Plastic Roofing Screws









The VEGA is specially designed to be fastened in the bottom of the corrugated plastic panel, resulting in a smoother installation and more aesthetic look. No predrilling needed! The wings mill an oversize hole which allows for thermal movement and reduces the risk of cracks. The special washer seals perfectly and covers the hole completely. Coated with ZYTEC™ M for typical outdoor use and with Self-Tapping threads.

asher	1lb	1lb	

Screw	Bit	Head	Washer	1lb	1lb	
Size	Size	Diam In	Diam In	SKU	Qty	
#9 x 1-3/16"	HEX	0.394"	0.591"	30952-18	95	

Star Drive Wood Screw Assortment Kits



These kits are the perfect accessory - convenient and compact - always ready for use. Equally as useful on the job site as in the home or workshop. The self contained kit has fasteners, bit holder, drive bits and organizer. They are currently available in five models for different uses and installation environments.

Our Assortment Kits Include Several Variations of the Following Brands







Each Kit Contains Bit Holder. 4 Bits and Adjustable Organizer!





SKU: 30909-03 AXIS™	Structural Wood Screw For Typ	ical Interior	
(45) 8 x 1"	(45) 8 x 1-1/4"	(35) 8 x 1-1/2"	(25) 8 x 1-3/4"
(30) 8 x 2"	(30) 9 x 2-1/2"	(35) 9 x 2-3/4"	(25) 10 x 3-1/2"
(35) 9 x 3"	(30) 10 x 3"	(25) 10 x 4"	Bit Holder and 4 Bits
SKU: 30910-29 AXIS™	Structural Wood Screw For Typ	ical Exterior	
(45) 8 x 3/4"	(45) 8 x 1"	(45) 8 x 1-1/4"	(35) 8 x 1-1/2"
(25) 8 x 1-3/4"	(30) 9 x 2"	(30) 9 x 2-1/2"	(35) 9 x 2-3/4"
(35) 9 x 3"	(30) 10 x 3-1/2"	(25) 10 x 4"	Bit Holder and 4 Bits
SKU: 30911 AXIS™ Str	uctural Wood Screw Stainless S	Steel	
(45) 8 x 1"	(45) 8 x 1-1/4"	(35) 8 x 1-1/2"	(35) 9x1-1/2"
(30) 9 x 2"	(30) 9 x 2-1/2"	(35) 9 x 3"	(30) 10x2-1/2"
(30) 10x3"	(30) 10 x 3-1/2"	(25) 10 x 4"	Bit Holder and 4 Bits
SKU: 30913-32 NOVAT	[™] Structural Lag Screw For Typi	cal Exterior	
(45) 14x1"	(45) 14x1-1/2"	(35) 14x2"	(35) 16x2-1/2"
(30) 16x3"	(30) 16x3-1/2"	(35) 16x4"	(30) 16x5"
(30) 16x6"	Bit Holder and 4 Bits		
SKU: 30912 AURA™ C	abinet / NOVA™ Lag Screw For	Typical Exterior	
(65) Aura - 8 x 1-1/4"	(45) Aura - 8 x 1-1/2"	(40) Aura - 8x2"	(35) Aura - 8x2-1/2"
(45) Nova - 14x1"	(30) Nova - 14x1-1/2"	(20) Nova - 14x2"	(35) Nova - 14x2-1/2"
(30) Nova - 14x3"	Bit Holder and 4 Bits		

C-DECK #10 x 2-3/4" Star Drive Composite Deck Screws



The Ultimate Composite Deck Screw! Available in ACQ Compatible Coated and 305 Stainless Steel. For use with wood, composite, PVC and other plastic materials. Our e-coat screws are available in 23 colors that will match most common deck colors on the market and has shown over 1000 hours of resistance in salt spray tests! Our C-deck is specially designed to eliminate the mushrooming that can occur in composite materials.

TREX Approved!**

rage Cha	rt Using <u>5</u>	½" Decking on	16" centers	1750 ct: 500 sq ft	350 ct: 100 sq ft 75ct: 20 sq ft
				omposite Deck Screws	
Bit	Head	Net	1750ct Bulk	350ct Jar	75ct Jar SKU
					CD234TTC75
	-				CD234DB75
					CD234FP75
					CD234FT75
					CD234GP75
					CD234TTG75
					CD234M75
					CD234MC75
T20	0.26	19.3	CD234PG	CD234PG350	CD234PG75
T20	0.26	19.3	CD234RW		CD234RW75
T20	0.26	19.3	CD234RR	CD234RR350	CD234RR75
T20	0.26	19.3	CD234RS	CD234RS350	CD234RS75
T20	0.26	19.3	CD234ROW	CD234ROW350	CD234ROW75
T20	0.26	19.3	CD234RB	CD234RB350	CD234RB75
T20	0.26	19.3	CD234S	CD234S350	CD234S75
T20	0.26	19.3	CD234SR	CD234SR350	CD234SR75
T20	0.26	19.3	CD234SS	CD234SS350	CD234SS75
T20	0.26	19.3	CD234TK	CD234TK350	CD234TK75
T20	0.26	19.3	CD234TH	CD234TH350	CD234TH75
T20	0.26	19.3	CD234VL	CD234VL350	CD234VL75
T20	0.26	19.3	CD234WH	CD234WH350	CD234WH75
T20	0.26	19.3	CD234WG	CD234WG350	CD234WG75
T20	0.26	19.3	CD234WB	CD234WB350	CD234WB75
T20	0.26	19.3	CD234WN	CD234WN350	CD234WN75
inles		l - #10 x 2·	-3/4" Star	Drive Composite Deck	Screws
Bit Size	Head Diam In	Net Bulk Wt*	1750ct Bulk	350ct Jar	75ct Jar SKU
					SSCD23475
	-				SSCD234TTC75
					SSCD234DB75
					SSCD234FP75
					SSCD234FT75
	-				SSCD234GP75
					SSCD234TTG75
					SSCD234M75
T20	0.26	22.2	SSCD234RS	SSCD234RS350	SSCD234RS75
T20	0.26	22.2	SSCD234S	SSCD234S350	SSCD234S75
T20	0.26	22.2	SSCD234SR	SSCD234SR350	SSCD234SR75
T20	0.26	22.2	SSCD234SS	SSCD234SS350	SSCD234SS75
T20	0.26	22.2	SSCD234TK	SSCD234TK350	SSCD234TK75
T20	0.26	22.2	SSCD234TH	SSCD234TH350	SSCD234TH75
T20	0.26	22.2	SSCD234VL	SSCD234VL350	SSCD234VL75
T20	0.26	22.2	SSCD234WN	SSCD234WN350	SSCD234WN75
T20	0.26	22.2	SSCD234WB	SSCD234WB350	SSCD234WB75
	## Size T20 T2	Name	Net Size Diam In Bulk Wt* T20 0.26 19.3	Bit Size Head Diam In Diam In Net Bulk Wt' 1750ct Bulk SkU T20 0.26 19.3 CD234TTC T20 0.26 19.3 CD234DB T20 0.26 19.3 CD234FP T20 0.26 19.3 CD234FT T20 0.26 19.3 CD234GP T20 0.26 19.3 CD234TTG T20 0.26 19.3 CD234MC T20 0.26 19.3 CD234PG T20 0.26 19.3 CD234RW T20 0.26 19.3 CD234RW T20 0.26 19.3 CD234RR T20 0.26 19.3 CD234RS T20 0.26 19.3 CD234RS T20 0.26 19.3 CD234SR T20 0.26 19.3 CD234SR T20 0.26 19.3 CD234SR T20 0.26 19.3 CD234TK T20 0	No. Content Content


FASCIA #9 x 1-7/8" 316 Stainless Star Drive Fascia Screws





NEW!! Easily secure your Composite or PVC Fascia (with popular board matched head colors!). Our system helps provide a beautiful, durable connection for years to come! While other brands

cut into the surface of the fascia boards often leaving shavings behind exposed, our solution leaves a cleaner finished surface and the hole sealed off completely. Each jar contains everything you need for installation and no additional custom tools are required!



Coming Fall 2024!

D2W[™] Deck2Wall Spacers



Designed to easily and efficiently provide airspace between buildings and deck ledgers, stair stringers, shade structures, railing posts, fence posts, and more to help prevent rot. Deck2Wall Spacers are easy to install. Simply fasten the spacer to the ledger with properly sized screws or nails through the attachment holes prior to bolting the ledger to the structure. The large diameter provides greater bearing surface than standard washers.

Item #	Description	Net Wt (10)	
D2W58	Deck2Wall Spacer 2 1/2"	0.1 lbs	
D2W58-10PK	(10) Deck2Wall Spacer 2 1/2"	1 lbs	
D2W58-100	(100) Deck2Wall Spacer 2 1/2"	6.8 lbs	
D2W38	Deck2Wall Spacers 2"	0.1 lbs	
D2W38-10PK	(10) Deck2Wall Spacers 2"	1 lbs	
D2W38-100	(100) Deck2Wall Spacers 2"	4 lbs	





Made In The USA!

DeckLok® Deck Brackets & RailLok® For Railing Sections



DeckLok® Lateral Anchor System will provide a bolted connection at all critical structural locations of your deck. A single pair of DeckLok brackets will provide 4000 lbs of pull out resistance. DeckLok will also increase rail post connections by up to 500%. Great for the deck-to-ledger connection, stair stringer, rail post and more.


RailLok® is used to connect fence sections to the rail post. Attach the brackets to the rail post using included screws and then slip pre-assembled fence sections into the brackets and screw them in place. RailLok brackets provide a strong, reliable fence section to post connection.

DeckLok ICC

Item Description	Net Wt	12 Pack Item Number	Item Number	
316 Stainless Steel Lateral Anchor	0.9 lbs	DL316SS-12	DL316SS	
Hot Dip Galvanized Lateral Anchor	0.9 lbs	DLHDG-12	DLHDG	
Item Description	Net Wt	4 Pack Item Number	Item Number	
Black RailLok Bracket (Includes 5 Screws)	0.2 lbs	RLBLK4PK	RLBLK	
White RailLok Bracket (Includes 5 Screws)	0.2 lbs	RLWHT4PK	RLWHT	
316 Stainless RailLok (Includes 5 Screws)	0.2 lbs	RL3164PK	RL316SS	

DRYWALL

Phillips Bugle Head Drywall Screws



Our drywall screws have a bugle head to prevent tearing, a phosphate coating to help resist corrosion, and a phillips drive recess. They are excellent for wall board, drywall, plaster board, sheet rock, gypsum board, and other materials. Packaging includes Drive Bit.

Phillip	s Bugl	е Неа	d Dry	wall Scre	ews - #6	6 x 1-1/	8" to #8 x	3"						
Screw Size	Qty Per Lb	Bit Size	Head Diam In.	Bulk SKU	Bulk Oty	Net Bulk Wt*	20lb SKU	20lb Qty	5I SK	b .U		1lb SKU		
Sharp Point	t													
#6 X 1-1/8"	301	PH2	.32	DW-6118F	10,000	36.2	DW-6118F-20	6,044	DW-61	18F-5		DW-6118	3F-1	
#6 X 1-1/4"	286	PH2	.32	DW-6114C	8,000	27.2	DW-6114C-20	5,676	DW-61	14C-5		DW-6114	IC-1	
#6 X 1-5/8"	236	PH2	.32	DW-6158C	5,500	24.4	DW-6158C-20	4,703	DW-61	58C-5		DW-6158	3C-1	
#8 X 2"	135	PH2	.32	DW-8200C	3,500	25.5	DW-8200C-20	2,691	DW-82	00C-5		DW-8200)C-1	
#8 X 2-1/2"	113	PH2	.32	DW-8212C	2,500	22.0	DW-8212C-20	2,238	DW-82	12C-5		DW-8212	2C-1	
#8 X 3"	94	PH2	.32	DW-8300C	2,000	21.0	DW-8300C-20	1,901	DW-83	00C-5		DW-8300)C-1	
Drill Point														
#6 x 1-1/4"	248	PH2	.32				DW-06114D-20	4,961	DW-061	114D-5		DW-0611	4D-1	
#6 x 1-5/8"	200	PH2	.32				DW-06158D-20	3,987	DW-061	158D-5		DW-0615	8D-1	
#8 x 2-5/8"	99	PH2	.32				DW-08258D-20	1,984	DW-082	258D-5		DW-0825	8D-1	
Screw Size	Qty Per 50 Lb	Bit Size	Head Diam In.	50lb Bulk SKU		Bulk Oty	Screw Size	Qty Per 50 Lb	Bit Size	Head Diam In.		Bulk KU		Bulk Oty
50lb Box Sh	harp Point						50lb Box S	harp Point						
#6 X 1-1/8"	13800	PH2	.32	DW-6118F-5	0	13,800	#8 X 2"	6750	PH2	.32	DW-8	200C-50		6,750
#6 X 1-1/4"	12900	PH2	.32	DW-6114C-5	0	12,900	#8 X 2-1/2"	5300	PH2	.32	DW-8	212C-50		5,300
#6 X 1-5/8"	10050	PH2	.32	DW-6158C-5	0	10,050	#8 X 3"	4450	PH2	.32	DW-8	300C-50		4,450

SPECIALTY Ceramic Coated Star Drive Cement Board Screws



Cement Board Ceramic Coated Star Drive Screws Deep sharp threads with a sharp point. Great for use with all cement boards. Treated lumber compatible. Includes Drive Bit.

Screw Size	Qty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	5lb SKU	1lb SKU
Drill Point								
#8 x 1-1/4"	177	T25	.409	CB114D	5,000	29.6	CB114D-5	CB114D-1
#8 x 1-5/8"	144	T25	.409	CB158D	4,000	28.5	CB158D-5	CB158D-1
Sharp Point								
#8 x 1-1/4"	159	T25	.409	CB114S	5,000	30.9	CB114S-5	CB114S-1
#8 x 1-5/8"	130	T25	.409	CB158S	4,000	30.8	CB158S-5	CB158S-1

SPECIALTY Ceramic Coated Star Drive Gutter Screws




Gutter Screw Ceramic Coated Star Drive Screws in brown or white finish, #14 x 7". Treated lumber compatible. Includes Drive Bit.

50ct-EA are 50ct boxes with individual UPC stickered screws for retail sale.

	Screw Size	Screw Color		Head Diam In	Bulk SKU	Bulk Qty	Net Bulk Wt*	50ct SKU	50ct-EA Flagged	
#	14 x 7"	Brown	T30	.425	GTR147B	250	13.9	GTR147B50	GTR147B-50EA	
#	14 x 7"	White	T30	.425	GTR147W	250	13.9	GTR147W50	GTR147W-50EA	

SPECIALTY

Phillips Modified Truss Head K-Lath Screws



Our self-drilling Modified Truss Head screws are for metal to metal applications. They feature a Phillips Drive, Zinc plating, a low profile modified truss head, and include a #2 Phillips Bit. Available in 20lb Bulk Pails and 1lb & 5lb Jars.

Screw Size	Oty Per Lb	Bit Size	Head Diam In	Bulk SKU	Bulk Oty	Net Bulk Wt*	5lb SKU	1lb SKU
Drill Point								
#8 x 1/2"	303	PH2		MT-0812D-20	5,000	20	MT-0812D-5	MT-0812D-1
#8 x 3/4"	222	PH2		MT-0834D-20	5,249	20	MT-0834D-5	MT-0834D-1
#8 x 1-1/4"	161	PH2		MT-08114D-20	4,219	20	MT-08114D-5	MT-08114D-1
#8 x 1-5/8"	123	PH2		MT-08158D-20	2,985	20	MT-08158D-5	MT-08158D-1
#8 x 2-1/2"	88	PH2		MT-08212D-20	2,083	20	MT-08212D-5	MT-08212D-1
Sharp Point								
#8 x 1/2"	250	PH2		MT-0812S-20	6,060	20	MT-0812S-5	MT-0812S-1
#8 x 9/16"	262	PH2		MT-080916S-20	4,444	20	MT-080916S-5	MT-080916S-1
#8 x 3/4"	200	PH2		MT-0834S-20	3,480	20	MT-0834S-5	MT-0834S-1
#8 x 1"	211	PH2		MT-08100S-20	3,226	20	MT-08100S-5	MT-08100S-1
#8 x 1-1/4"	149	PH2		MT-08114S-20	2,468	20	MT-08114S-5	MT-08114S-1
#8 x 2"	104	PH2		MT-08200S-20	1,760	20	MT-08200S-5	MT-08200S-1

Tapcon Tapcon® Concrete Screw Anchors



Tapcon Masonry Phillips and Slotted Hex Head Screws are milled with a Blue Climaseal ® Coating for longer life. Fast and easy installation, removable, and Advanced Threadform Technology requires less torque resulting in less end user fatigue. Great for securing all applications to concrete. Made in the USA.

Slotted Hex (Slotted Hex (Includes Drill Bit)									
Screw Size	Head Diam In	Pack Qty	Net Wt*	Slotted Hex Drive	Hex Drive Dealer	Phillips Drive	Phillips Dealer	Star Drive	Bit Size	Star Drive Dealer
3/16 x 1-1/4"	.35	100ct	0.65	HH3114				SFH3114	T-25	
3/16 x 1-3/4"	.35	100ct	0.92	HH3134				SFH3134	T-25	
3/16 x 2-1/4"	.35	100ct	1.18	HH3214		PFH3214				
3/16 x 2-3/4"	.35	100ct	1.44			PFH3234				
3/16 x 3-1/4"	.35	100ct	1.70	HH3314				SFH3314	T-25	
1/4 x 1-1/4"	.454	100ct	1.08	HH4114						
1/4 x 1-3/4"	.454	100ct	1.51	HH4134				SFH4134	T-30	
1/4 x 2-1/4"	.454	100ct	1.94	HH4214		PFH4214				
1/4 x 2-3/4"	.454	100ct	2.37	HH4234				SFH4234	T-30	
1/4 x 3-1/4"	.454	100ct	2.80	HH4314				SFH4314	T-30	
1/4 x 3-3/4"	.454	100ct	3.23			PFH4334				
1/4 x 4"	.454	100ct	3.45	HH4400		PFH4400				

Star Drive Bits & Bit Holders 1" Bit SKU Ea 2" Bit SKU Ea 2" Bit 100ct SKU T10x1-100 T10x2 T10x2-100 T10x1 High Quality, Long Lasting Bits! T15x1 T15x1-100 T15x2 T15x2-100 T20x1 T20x1-100 T20x2 T20x2-100 T20x3-1/2 T20x6 T25x1-100 T25x2-100 T25x3-1/2 T25x1 T25x2 T25x6 T30x1-100 T30x2-100 T30x1 T30x2 T40x1 T40x1-100 T40x2 T40x2-100

2PMBH213	C-Ring 2 pc SS Magnetic Bit Holder 2-1/3" For 1" Bits Only	
SS1PMBH3	C-Ring 1 pc SS Magnetic Bit Holder For 1" Bits Only	77.02
QR213	Quick Release Magnetic Bit Holder 2-1/3"	
SPRMBH	SuperMag Magnetic Bit Holder	

WINBAG® Inflatable Reusable Shims

IBS 2016 NEW AWARD



WINBAG Stingray

Announcing a MUST for every toolbox! The WINBAG® is a very powerful hand operated inflatable air shim made of fiber reinforced material that will save you countless hours on the jobsite. It is designed to provide a maximum pressure of up to 300 lbs. and can be used in conjunction with shims and wedges in a wide variety of applications. Save time installing windows, positioning heavy doors and leveling furniture, kitchen cabinets, household appliances and more!

Item #	Item Description
17801	WINBAG - Single Stingray with 5 WINBAGS
15730	WINBAG - Single
18086	NEW WINBAG - MAX



WINBAG Up To 300lbs Each!









